WOOD BURNING FIREPLACES napoleonfireplaces.com

mmmm

6



Add an element of "home" to your house with a Napoleon Wood Burning Fireplace.

High Country [®] 6000-1	4 - 5
*High Country ⁻ 3000-1	6 - 7
Outstanding Features	8
Anatomy of the Perfect Fireplace	.9- 10
Specs, Options, Features & Accessories	11



The High Country 3000 shown with painted black faceplate, Heritage insets and black cast iron doors featuring painted black inlays

* The model NZ3000-1 is U.S. Environmental Protection Agency certified to comply with July 1990 particulate emission standards and can be sold into the jurisdictions that recognize these standards.

2



FIND YOUR HAPPY (fire)PLACE.

Throughout the ages, people have gathered around fires to share in life's greatest joys.

There's just something about the glow of flickering flames that makes special moments feel even warmer.

A Napoleon fireplace is uniquely designed to brighten the vibe of any room in your house. Napoleon has an incredible range of designer options to fit any vision.

A fire not only raises the warmth and ambiance of a room, it can raise the value of your home. A fireplace offers some of the highest returns of any remodeling project. And that should make you feel good all over.

And so you can keep enjoying that positive glow for years and years and years to come, every Napoleon fireplace is backed by a solid warranty.



We are proud to be recognized as one of Canada's Best Managed Companies and are dedicated to providing quality, home comfort products for over 40 years and counting.

High Country 6000-1

A Showcase For Your Home



Napoleon's dedicated team of designers and engineers have taken wood burning to a higher level and created a distinctive fireplace experience never seen before in the industry! The perfect blend of elegant, rustic styling and state-of-the-art wood burning technology makes this luxurious fireplace an ideal choice to add class and artistry to your home. With an impressive 792 sq. in. viewing area the High Country[®] 6000 stands out in the crowd and is well deserving of the Napoleon insignia. Treasured for its quality and performance, every Napoleon fireplace is hand crafted to last for generations.


NZ6000-1

481/2"w x 361/2"h as shown

For more detailed specifications on this unit, see pages 11



Shown with wrought iron double doors, faceplate, upper grill and keystone



Options & Accessories



Arched Faceplate Complete with Wrought Iron Double Doors, Faceplate, Grill & Keystone



Arched Screen Kit Painted Black Finish




Country Crane & Hearth Pot



Powerful "WHISPER QUIET" Blower System with Washable Filter



Arched Faceplate Painted Black Finish



Arched Double Doors Two Colour Options*



Arched Upper Grills Painted Black Finish

*

Keystones Painted Black Finish

Refer to options & accessories section on page 11 for more details



The High Country[®] 6000 shown with wrought iron finish double doors, faceplate, upper grill and keystone



High Country[®] 3000-1*

Wood Burning Elegance




Napoleon's High Country 3000 wood burning fireplace is the smaller version in the powerful High Country Series. The High Country 3000 offers superior heavy duty boiler plate steel, full refractory lined firebox with ultra high efficiencies that allow for easily sustained overnight burns. Five stainless steel secondary air tubes supercharge the fuel burning process and generates a fascinating display of YELLOW DANCING FLAMES'. Only Napoleon provides wood burning fireplaces that have an elegant, rustic style and are built to these high quality standards.

NZ3000-1 40"w x 3011/16"h as shown

For more detailed specifications on this unit, see pages 11



Shown with cast iron double doors featuring painted black inlays and modern insets



Options & Accessories



Complete Arched Wrought Iron Double Doors, Faceplate, Grill & Keystone



Arched Double Doors Two Colour Options*



Arched Faceplate & Modern Inset Painted Black Finish



Arched Faceplate & Heritage Inset Painted Black Finish



Powerful "WHISPER QUIET"" Blower System with Washable Filter



Painted Black Finish



Refer to options & accessories section on page 11 for more details



The High Country[®] 3000 shown with wrought iron finish double doors, faceplate, upper grill and keystone



Outstanding Features

of Napoleon's Advanced Technology



Help Protect The Environment With A Napoleon Wood Burning Fireplace

Heating your home with a Napoleon high efficiency fireplace, stove or insert releases no more carbon dioxide than a dying tree would lying on the forest floor. In fact, when the entire carbon cycle is considered, a Napoleon fireplace heats your home more efficiently and with less impact on the environment than any other heating fuel option.

Outstanding Craftsmanship

Fine details are designed in every aspect of Napoleon fireplaces...individually handcrafted with pride of excellence.

WHISPER QUIET" Heat Circulating Blower System

The extreme heat resistant "H" class bearings featured in Napoleon's superior heat circulating blower, creates a lasting "whole home" comfort with adjustable high & low speeds.

Solid Hinged Doors


Manufactured with heavy gauge steel, the doors are conveniently hinged on most models for easy opening.

High Country[™] 6000 Anatomy of the Perfect Fireplace

- 1. Combustion and dilution air is brought into the unit through the fresh air intake collars located on the bottom side of the unit.
- 2. The combustion air is brought into the firebox through many small holes in the airwash located at the side and top of the opening.
- 3. Safety switch, the blower stops automatically when door is open and starts again when door is closed.
- 4. Combustion takes place inside the firebox, smoke and gases are moved around a large baffle system into a second chamber for complete combustion and extended flame path to extract maximum amount of heat and exhausts out the chimney.
- 5. The optional blower provides an ideal means of circulating warm air within the home. Where location permits and extreme cold temperatures are not experienced, this blower may also be installed to utilize fresh outside air to introduce "positive pressure" to the home. The powerful 320 CFM blower can be installed remotely from the unit (ie. basement) so you can enjoy increased air circulation with WHISPER QUIET operation.
- 6. The optional hot air gravity vent system may be used to distribute heat to an adjoining room (located either above, or beside the room containing the fireplace).
- 7. Summer by-pass damper allows more heat to flow straight up the chimney so you can enjoy your fireplace even in the warmer months.
- 8. Heavy duty secondary air tube introduces just the right amount of air to increase efficiency through complete combustion.
- Approved with chimneys Any 8" diameter chimney listed to these standards may be installed. In accordance with these standards, the unit may also be connected to any chimney listed to CAN/ ULC-S604 and CAN/ULC-S629 for Canada or UL-103HT for the United States.

Minimum Clearance to combustibles

Minimum, fireplace	0" to stand offs (rear) 6" to sides
Ceiling to enclosure	120" from the base of the unit (unless shielded with metal studs and cement board)
Ceiling (in front of fireplace)	84" from the base of the unit
Chimney	2" (follow manufacturer's instructions)
Hot air gravity duct work	1"
Mantle to top of faceplate	from 12" (with mantel protruding 2") to 18" (with mantel protruding 8")
Minimum hearth extension	20" x 61 1/2" non-combustible surface



High Country 3000

Anatomy of the Perfect Fireplace


- 1. Combustion air is brought into the unit through the fresh air intake collar located on the bottom side of the unit.
- 2. Heavy duty secondary air tubes introduce just the right amount of air to increase efficiency through complete combustion.
- 3. Combustion takes place inside the firebox, smoke and gases are moved around a large baffle system into a second chamber for complete combustion and extended flame path to extract maximum amount of heat and exhausts out the chimney.
- 4. The optional hot air gravity central heating vent system may be used to distribute heat to an adjoining room (located either above or beside the room containing the fireplace).
- 5. The optional blower provides an ideal means of circulating warm air within the home. Where location permits and extreme cold temperatures are not experienced, this blower may also be installed to utilize fresh outside air to introduce "positive pressure" to the home. The powerful 320 CFM blower can be installed remotely from the unit (ie. basement) so you can enjoy increased air circulation with WHISPER QUIET operation.
- 6. Radiant Heat
- 7. A single air control regulates the burn rate.
- 8. High Heat Ceramic Glass
- 9. Cool room air circulates around the firebox and is pushed back out into the room for additional heat.
- 10. Fully insulated outershell to reduce clearances.
- 11. Two piece, high density ceramic, removable baffle allows easy access for chimney cleaning and maintenance.
- Approved with chimneys

Any 7" or 8" diameter chimney listed to these standards may be installed. In accordance with these standards, the unit may also be connected to any chimney listed to CAN/ ULC-S604 and CAN/ULC-S629 for Canada or UL-103HT for the United States.

5

Minimum Clearance to combustibles

Minimum, fireplace	0" to stand offs (rear) 6" to sides
Ceiling to enclosure	84" from the base of the unit
Ceiling (in front of fireplace)	84" from the base of the unit
Chimney	2" (follow manufacturer's instructions)
Hot air gravity duct work	1"
Mantle to top of faceplate	from 12" (with mantel protruding 2") to 18" (with mantel protruding 8")
Minimum hearth extension	20" x 54" non-combustible surface



Hot Air Venting Options









No Ducting

Gravity Vent Gravity Vent Options One Duct Options Two Ducts Central Heating Central Heating & Gravity Vent Option



Arched Faceplate, Doors, Grill & Keystone Wrought Iron Finish (NZ6000)



Arched Faceplate, Doors, Grill & Keystone Painted Black Finish (NZ6000)



Country Crane and Hearth Pot Designed specifically to add to the look and feel of the NZ6000 wood burning fireplace.



Arched Faceplate, Doors, Grill & Keystone Wrought Iron Finish (NZ3000)



Arched Faceplate Modern Inset Painted Black Finish (NZ3000)



Arched Faceplate Heritage Pattern Inset Painted Black Finish (NZ3000)

	NZ6000	NZ3000
Arched Faceplate complete with Upper Grill & Keystone (wrought iron finish)	0	0
Arched Faceplate (painted black finish)	0	0
Arched Double Doors (wrought iron finish)	0	0
Arched Double Doors (painted black finish)	0	0
Arched Upper Grill (painted black finish)	0	-
Keystone (painted black finish)	0	-
Modern Inset (painted black finish)	-	0
Heritage Pattern Inset (painted black finish)	-	0
Andirons (painted black finish)	S	S
Arched Screen Kit	0	0
Country Crane & Hearth Pot	0	-
Cast Iron Grate	S	S
Napoleon Insignia	S	-
Blower Kit	0	0
Central Heating System Kit	-	0
Gravity Hot Air Vents	0	0


S - Standard

0 - Optional


C

(435m


High Country[®] 6000








High Country[®] 3000 Shown on pages 6 & 7





Model	Firebox Capacity (cu. ft.)	Log Size (Max)	Emissions (Grams Per Hour)	Flue Diameter	Outside Air for Combustion	Mobile Home Ap- proved	Central Heating and/or	Glass Size (x2)		Weight of Bricks	Weight without Bricks
	(00000)	((,			,	Blower	Width	Height		
NZ6000-1*	4.8	32"	N/A	8"	Yes	No	Optional	16 3 ⁄8"	21 3 ⁄8"	110 lbs	583 lbs
NZ3000-1**	2.78	25"	7.3	7"	Yes	No	Optional	12 1⁄2"	17"	128 lbs	352 lbs

*Tested and listed by Intertek Testing Services Ltd. as per North American standards: ULC S610, UL 127 for factory built fireplaces.

8 7/16" 214mm

**Tested and listed by Intertek Testing Services Ltd. as per North American standards: CAN/ULC S610, UL 127 for factory built fireplaces and to ULC S639 for steel liner assemblies for solid fuel burning masonry fireplaces.

Figures may vary with individual conditions such as floor plan layout, insulation value of the home and the firewood used



NAPOLEON - CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS





24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8 103 Miller Drive, Crittenden, Kentucky, USA 41030 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 705-721-1212 Fax: 705-722-6031 napoleonfireplaces.com



CERTIFIED TO COMPLY WITH 2015 PARTICULATE EMISSIONS STANDARDS. NOT APPROVED FOR SALE AFTER MAY 15, 2020. Consult your owner's manual for complete installation instructions and check all local and national building codes. All specifications and designs are subject to change without notice to allow for on-going product improvement. Images may not be exactly as shown. © Wolf Steel Ltd.

Authorized Dealer